

From: Appanoose County Sanitarian

To: Appanoose County Board of Health

Subj: AMMENDMENT TO APPANOOSE COUNTY ORDINANCE #6

The following section of the Appanoose County Ordinance #6 (On-Site Wastewater Treatment and Disposal Systems) should be ammended to include the following.

Present - 6 (7) 69.3 General Regulations:

a. Connections to public sewer.

(2) When a public sanitary sewer becomes reasonably accesible, any building then served by an On-Site Wastewater Treatment and Disposal System shall connect to said public sanitary sewer within a time frame set by the administrative authority.

Recommend-6 (7) 69.3 General Regulations:

a. Connections to public sewer.

(2) When a public or central sanitary sewer becomes available within a thousand (1000) feet, any building then served by an On-Site Wastewater Treatment and Disposal System shall connect to said public or central sanitary sewer within a time frame set by the administrative authority.

Respectfully,

A handwritten signature in cursive script, reading "W.A. Milani".

W.A. Milani

*Appanoose County*  
*Board of Health*

Court House

Centerville, Iowa 52544

BOARD OF HEALTH MEETING - JANUARY 22, 1990

PAGE 3

SANITARIAN REPORTS - [CONT.]

Milani shared a report that he sends the Department of Inspections and Appeals at the end of the year on Food Establishments, etc. and the dollars generated. There were 168 places inspected generating \$7,774.

At the November 27, 1989 Board of Health meeting the Board passed a motion instructing Milani to draw up an ammendment to Appanoose County Ordinance #6 regarding a specific number of feet from a public or central sewer instead of reasonably accessible. Milani presented his recommended ammendment as follows:


- 6 [7] 69.3 General Regulations:
  - a. Connections to public sewer.
    - [2] When a public or central sanitary sewer becomes available within one thousand [1000] feet, any building then served by an On-Site Wastewater Treatment and Disposal System shall connect to said public or central sanitary sewer within the time frame set by the administrative authority.

After discussion, motion by Hoffman, seconded by Fraser to recommend to the Board of Supervisors adoption of this ammendment to County Ordinance #6. Motion carried.

Milani reported that he had been involved in helping inspect buildings for the city of Centerville at the request of the Mayor. These buildings have been or will be torn down for city improvement and/or safety. He is keeping track of time spent on city requests.

Milani told the Board that he spent 4 days in Des Moines in early January at a training session on Food Service Establishment Laws and Rules instructed by the Department of Inspections and Appeals. Milani will soon be conducting schools for restaurant owners and/or employees to aid them in complying with the laws.

Meeting adjourned at 7:40 P.M.

  
Marilyn Perkins, Secretary